

YOUR NAME: _____

George Voutsadakis

Read each problem **very carefully** before starting to solve it. Each problem is worth 10 points. It is necessary to show **all** your work. Correct answers without explanations are worth 0 points. GOOD LUCK!!

1. The number N of deer present at time t (measured in years since the herd was introduced) on a certain wildlife reserve has been determined by ecologists to be given by the function

$$N(t) = \frac{12.36}{0.03 + 0.55^t}.$$

- (a) How many deer were initially on the reserve?
- (b) Calculate $N(10)$ and explain in a short and precise sentence the meaning of the number that you calculated.
- (c) How much increase in the deer population do you expect from the 10th to the 15th year?
- (d) What is the average rate of increase of the deer population between the 3rd and the 8th year?

2. Suppose a piece of aluminum is removed from an oven and is left to cool. The following table gives the temperature $A = A(t)$ in degrees Fahrenheit of the aluminum t minutes after it is removed from the oven.

$t = \text{Minutes}$	0	30	60	90	120	150	180	210
$A = \text{Temperature}$	302	152	100	81	75	73	72	72

- (a) Explain the meaning of $A(75)$ and estimate its value.
- (b) What is the average rate of change per minute of the temperature during the first half-hour of cooling?
- (c) What is the average rate of change per minute of the temperature during the first half of the second hour of cooling?
- (d) Use functional notation to express the temperature of the aluminum after 1 hour and 13 minutes. Estimate the temperature at that time.
- (e) What is the temperature of the oven and what is the room temperature? Please, explain your answer with short precise phrases.

3. Consider the function

$$f(x) = 3(x - 2)^2 e^{-x}$$

in the interval $[1, 7]$. Our goal is to study in detail the graph $y = f(x)$. Please, follow the directions given closely and answer the following questions precisely.

- (a) Graph $y = f(x)$ with your calculators setting your window for x between 1 and 7 and for y between -0.2 and 1.2 . Reproduce your graph **carefully** here. If the shape is not very clear, you might want to zoom in and out to explore some details before drawing.
- (b) What is the initial value for f in $[1, 7]$? If the graph is allowed to evolve further to the right outside $[1, 7]$ does it have a limiting value?
- (c) Find the intervals of monotonicity (intervals where graph is increasing/decreasing) and the local extrema in $[1, 7]$. Summarize your results in a small table.
- (d) Find the intervals of concavity (intervals where graph is concave up/concave down) and the inflection points in $[1, 7]$. Summarize your results in a small table.

4. Suppose that a manufacturer of widgets has fixed costs of \$9,000 per month and that the variable cost is \$ 15 per widget. Suppose, moreover, that the manufacturer sells the widgets for \$25 each.
- (a) Find a formula expressing the total cost C of this manufacturer in a month as a function of the number N of widgets produced in a month. State the units used.
 - (b) Express using functional notation the total cost if there are 250 widgets produced in a month and then calculate its value.
 - (c) Use a formula to express the manufacturer's total revenue R in a month as a function of the number N of widgets produced in a month. State the units used.
 - (d) Use a formula to express the profit P of the manufacturer as a function of the number N of widgets produced in a month.
 - (e) Express using functional notation the profit of the manufacturer if there are 250 widgets produced in a month and then calculate its value.
 - (f) How many widgets does the manufacturer need to produce to break even?